


Emitter Audio User's Manual



Copyright © 2011, SimPhonics Incorporated



TABLE OF CONTENTS

1	Preface.....	5
1.1	Trademarks and Copyrights	5
1.2	Before Reading This Document	5
1.3	References	5
2	Emitter Audio Generator Object Functionality	6
2.1	Audio Generation Algorithm.....	6
2.2	Pulse Pattern Modeling	8
2.2.1	Pulse Repetition Intervals and Stagger	9
2.2.2	Pulse Group	9
2.2.3	Discrete PRI	10
2.2.4	Switch on Scan	10
2.2.5	PRI Staircase	10
2.2.6	Continuous Wave.....	11
2.2.7	Up Ramp	11
2.2.8	Down Ramp	12
2.2.9	Triangle	13
2.2.10	Sine	14
2.2.11	Pulses Per Step.....	14
2.2.12	Jitter.....	15
2.3	Scan Pattern Modeling	17
2.3.1	Fixed/Steady	20
2.3.2	Circular.....	21
2.3.3	Unidirectional Sector	22
2.3.4	Bidirectional Sector	24
2.3.5	Conical.....	25
2.3.6	Spiral	26
2.3.7	Raster	28
2.3.8	Helical.....	30
2.3.9	Palmer – Unisector	32
2.3.10	Palmer – Bisector	34
2.3.11	Palmer-Raster.....	35
2.3.12	Palmer-Helical	37
2.3.13	Vertical Unidirectional Sector	39
3	Emitter Audio Generator Object Interface	40
3.1	EAG Object Input Pins.....	41
3.2	EAG Object Output Pin	43
3.3	EAG Object Static Data.....	43
4	Definition of Terms.....	44



LIST OF FIGURES

Figure 1. Single PRI Value.....	9
Figure 2. Multiple PRI Values (Stagger)	9
Figure 3. Discrete PRI Agility Pattern	10
Figure 4. PRI Staircase Agility Pattern	10
Figure 5. Up Ramp PRI Agility Pattern	11
Figure 6. Down Ramp PRI Agility Pattern.....	12
Figure 7. Triangle PRI Agility Pattern.....	13
Figure 8. Sine PRI Agility Pattern.....	14
Figure 9. Jitter Range.....	15
Figure 10. Jitter PRI Pattern	16
Figure 11. Emitter Frame of Reference.....	17
Figure 12. Circular Scan	21
Figure 13. Sector Scan	22
Figure 14. Conical Scan	25
Figure 15. Spiral Scan	26
Figure 16. Raster Scan	28
Figure 17. Helical Scan.....	30
Figure 18. Palmer Scan	32
Figure 19. Palmer Raster Scan	35
Figure 20. Palmer Helical Scan.....	37
Figure 21. Vertical Unidirectional Sector Scan	39
Figure 22. Emitter Audio Generator Object	40



LIST OF TABLES

Table 1. Agility Types	8
Table 2. Lobe Parameters.....	18
Table 3. Receiver Position Parameters	19
Table 4. Circular Scan Parameters	21
Table 5. Unidirectional Sector Scan Parameters	22
Table 6. Bidirectional Sector Scan Parameters	24
Table 7. Conical Scan Parameters	25
Table 8. Spiral Scan Parameters.....	26
Table 9. Raster Scan Parameters	28
Table 10. Helical Scan Parameters	30
Table 11. Palmer Unisector Scan Parameters	32
Table 12. Palmer Bisector Scan Parameters	34
Table 13. Palmer Raster Scan Parameters	35
Table 14. Palmer Helical Scan Parameters	37
Table 15. Vertical Unidirectional Sector Scan Parameters	39
Table 16. EAG Object Left-Side Pins	41
Table 17. Scan Types	42
Table 18. EAG Object Bottom Pins.....	42
Table 19. EAG Object Error Codes	43
Table 20. Definition of Terms	44



1 Preface

1.1 Trademarks and Copyrights

Any trademarks shown throughout this document are the property of their respective owners. V+ and SMx are trademarks of SimPhonics, Incorporated.

Ensure you have the latest release of this document before relying on this information.


Version	Description	Date
0.1	Pre-release	February 14, 2006
1.0	Initial Release	February 17, 2006
1.1	Updated	January 28, 2009

This document was authored using Microsoft Word 2003 and is maintained at the SimPhonics web site in .DOC format. This document may be copied freely for any purpose.

1.2 Before Reading This Document

The reader should be familiar with the **V+ Visual Programming System**, in particular the use of objects. The V+ Programming System User Manual is available from the *Downloads* area of our web site: <http://www.simphonics.com/supp/downloads/docs/>.

V+ is the language of which the Emitter Audio Generator is a part, and is the only means of programming the emitter object's behavior. The Emitter Audio Generator object is designed for use in advanced applications requiring basic knowledge radio emitters.



1.3 References

SimPhonics Home Page: <http://www.simphonics.com>.



2 Emitter Audio Generator Object Functionality

The Emitter Audio Generator object is a part of the V+ library. It consists of a large number of inputs which define the characteristics of a single emitter. The EAG object generates audio according to these dynamic inputs. The inputs are:

- On/Off to enable and disable audio generation
- Lock to indicate when input values are being changed
- Volume
- Pause to suspend modeling of the emitter scan and pulse train
- Mute to silence audio output while continuing to model the emitter
- Pulse Width
- PRI 0 through PRI 40
- PRI Agility Type
- PRI Agility Deviation
- PRI Agility Period
- Pulses Per Step
- Jitter Range
- Main Lobe Power
- Main Lobe Beam Width
- Side Lobe Left 1 Offset through Side Lobe Left 7 Offset
- Side Lobe Left 1 Power through Side Lobe Left 7 Power
- Side Lobe Right 1 Offset through Side Lobe Right 7 Offset
- Side Lobe Right 1 Power through Side Lobe Right 7 Power
- Back Lobe Power
- Back Lobe Beam Width
- Scan Type
- Scan Period 1, Scan Period 2, and Scan Period 3
- Pattern Width 1 and Pattern Width 2
- Scan Elevation
- No. of Bars
- Retrace Time
- Receiver Azimuth and Elevation relative to the Emitter frame of reference

The EAG object also takes into account the following static inputs:

- Algorithm ID
- Audio Device Number

Static inputs are defined in the V+ model before runtime. The Algorithm ID specifies the audio generation algorithm that is used. Only one such algorithm currently exists. The Audio Device Number indicates which audio channel is used to produce the audio.

2.1 Audio Generation Algorithm

This section describes the algorithm that is used by an EAG object to produce an audio stream. The audio generation algorithm produces 16 bit digital audio at a 44.1 KHz sampling rate.

The audio generation algorithm executes within each EAG object at the rate defined by the V+ Run Time System. It takes into account the current inputs of the EAG object and the current state of the emitter represented by that object. At each frame, the algorithm may generate audio samples starting at some point in the future and continuing for a certain period. The algorithm ensures that the audio buffer does not run out of audio samples before it can be refilled. It checks the remaining audio data in the buffer against a "low



water mark". If there is less data in the buffer than the low water mark, then additional data is placed into the buffer up to the "high water mark". Additionally, previously generated (but not yet played) audio data may be overwritten by new data if a significant change to the object's inputs has occurred. A significant change is one which would perceptibly alter the audio already in the buffer.

Upon each execution of an EAG object, the algorithm first checks whether the inputs of the EAG object have changed. If the change is a major change, like a change in scan pattern, then the algorithm resets its state to restart modeling of the emitter. If the change is minor, like a receiver position update, the new data is simply incorporated into the current modeling of the emitter. A minor change is then further characterized as significant or not significant as described in the previous paragraph. After dealing with any input changes, if audio data needs to be generated, the algorithm proceeds to determine the audio samples for the period in question.

Many of the input parameters of the EAG object are taken into account to generate the audio samples. The algorithm models these parameters to determine their effects on the audio. At a sample rate of 44.1 KHz, the algorithm calculates a new sample at intervals of 22.7 microseconds (μ s).

For any particular sample, the algorithm determines where the center of the main beam of the emitter is pointing relative to the receiver at the sample time. This is a function of the receiver azimuth and elevation relative to the emitter, the scan pattern, and any associated parameters such as scan period. Next, the algorithm determines which beam, if any, is illuminating the receiver and the resultant received power. The current received power then becomes the basis of calculating the amplitude of the audio sample.

The algorithm also models the pulse train of emissions from the emitter. This determines the points in time when pulses are received. This is affected by the PRI inputs and agility inputs. For example, if an emitter has several PRI intervals defined, then the received pulses occur at times corresponding to those intervals (as opposed to one regular interval).

The final step to determine the current audio sample value combines the previously calculated current received power with the calculated pulse train. The algorithm uses the pulse train to determine whether a pulse is being received at the receiver at the current sample time. For this purpose, the width of a pulse is fixed at 100 μ s. If a pulse is not being received at the current sample time, then the value of the sample is calculated as zero. If a pulse is being received at the sample time, then the value of the sample is calculated according to the current received power and scaled to produce a physical output level within a range of 0 to 2.5 Volts peak to peak. A further optimization is also implemented. The current received power is not recalculated within a single pulse (i.e., the first audio sample that is within a pulse determines the current received power for the entire pulse).



2.2 Pulse Pattern Modeling

This section describes the pulse patterns that are generated by the EAG object. The pulse waveform is rectangular with a variable pulse width. The pattern of pulses is then defined by the interval between each pulse. The calculation of pulse intervals is described in the following subsections. The amplitude of each pulse is a consequence of the scan pattern. Scan patterns are discussed in section 2.3.

The modeling of pulse intervals depends on the value of the PRI Agility Type input. The possible values for this input are shown in Table 1.

Input	Agility Type
0	Off
1	Pulse Group
2	Discrete PRI
3	Switch On Scan
4	Staircase
5	CW
6	Up Ramp
7	Down Ramp
8	Triangle
9	Sine



2.2.1 Pulse Repetition Intervals and Stagger

When the Agility Type is set to "Off", the pulse intervals are determined by the Pulse Repetition Interval input values: PRI 0, PRI 1, ..., PRI 40. The EAG object takes the PRI values into account only until it encounters an input value of zero. After the first zero value, the remaining PRI inputs are ignored. Each non-zero PRI value defines the interval in μs to the next pulse. The effect of different PRI input values is shown in the following figures.

Figure 1 shows the pulse pattern resulting from a single PRI value of $2438 \mu\text{s}$ (i.e., PRI 0 = 2438, PRI 1 = 0). The start of each pulse is $2438 \mu\text{s}$ after the start of the previous pulse. The resulting audio has a frequency of 410Hz (i.e., $410 = 1 / 0.002438$).




Figure 1. Single PRI Value

Figure 2 shows the pulse pattern resulting from a sequence of 4 PRI values (i.e., PRI 0 = 3048, PRI 1 = 1524, PRI 2 = 4267, PRI 3 = 2134, PRI 4 = 0). This is also known as a 4 level stagger. The interval between pulses varies according to the sequence of PRI values.




Figure 2. Multiple PRI Values (Stagger)

2.2.2 Pulse Group

The Pulse Group Agility type creates a pulse pattern that repeats at an interval of PRI 0. The individual pulse intervals are then defined by the subsequent PRI input values (i.e., PRI 1, PRI 2, etc.). In the case where the individual pulse intervals define a pattern whose period exceeds that of PRI 0, the pattern is truncated to ensure that the overall period is equal to PRI 0.



2.2.3 Discrete PRI

The Discrete PRI Agility type generates a pattern of pulses whose pulse interval changes periodically. Figure 3 illustrates how the pulse repetition interval varies. The interval changes according to the PRI Agility Period input value and follows the sequence of defined PRI values. In the example, the interval starts at PRI 0 for the length of the PRI Agility Period, then changes to PRI 1 for another PRI Agility Period, changes to PRI 2 for another PRI Agility Period, and then finally returns to PRI 0 at which point the whole cycle repeats. The example assumes that the PRI 3 input value is set to zero to indicate the end of the cycle.




Figure 3. Discrete PRI Agility Pattern

2.2.4 Switch on Scan

No audio is produced for this agility type.

2.2.5 PRI Staircase

The PRI Staircase Agility type is based on the value of PRI 0. All other PRI values are ignored. The pattern of pulses generated is shown in Figure 4. The pattern repeats with a period defined by PRI Agility Period. The first pulse occurs at the start of the pattern. The second pulse occurs at $PRI_0 \mu s$ later. The third pulse occurs at $2 \times PRI_0 \mu s$ after the second pulse. The pulse interval for each subsequent pulse increases by $PRI_0 \mu s$ compared with the previous one. The pulse interval between the last pulse of the pattern and the first pulse of the next repetition of the pattern is determined by the PRI Agility Period. The EAG object ensures that this pulse interval is at least PRI_0 .




Figure 4. PRI Staircase Agility Pattern



2.2.6 Continuous Wave

No audio is produced for this agility type.

2.2.7 Up Ramp

The Up Ramp Agility type is based on the value of PRI 0. All other PRI values are ignored. The pulse intervals between pulses follow an up ramp pattern as shown in Figure 5. They gradually increase from PRI 0 μs to a maximum value defined by the PRI Agility Deviation input value. The maximum is reached after PRI Agility Period μs . The next pulse interval then drops back to PRI 0 μs and the process repeats.

The PRI Agility Deviation input value is interpreted relative to the PRI 0 value to calculate the maximum pulse interval value as follows:

$$\text{Maximum Pulse Interval} = \text{PRI0} * (1 + \text{PRI Agility Deviation})$$

For example, a PRI Agility Deviation of 0.5 results in the pulse interval varying from PRI 0 to 1.50 times PRI 0.




Figure 5. Up Ramp PRI Agility Pattern



2.2.8 Down Ramp

The Down Ramp Agility type is based on the value of PRI 0. All other PRI values are ignored. The pulse intervals between pulses follow a down ramp pattern as shown in Figure 6. They gradually decrease from PRI 0 μ s to a minimum value defined by the PRI Agility Deviation input value. The minimum is reached after PRI Agility Period μ s. The next pulse interval then jumps back to PRI 0 μ s and the process repeats.

The PRI Agility Deviation input value is interpreted relative to the PRI 0 value to calculate the minimum pulse interval value as follows:

$$\text{Minimum Pulse Interval} = \text{PRI0} * (1 - \text{PRI Agility Deviation})$$

For example, a PRI Agility Deviation of 0.25 results in the pulse interval varying from PRI 0 to 0.75 times PRI 0.




Figure 6. Down Ramp PRI Agility Pattern



2.2.9 Triangle

The Triangle Agility type is based on the value of PRI 0. All other PRI values are ignored. The pulse intervals between pulses follow a triangle pattern as shown in Figure 7. They gradually increase from a minimum value to a maximum value and then gradually decrease from the maximum value back down to the minimum value. The process then repeats. The value of PRI 0 is half way between the minimum and maximum pulse interval. The difference between the minimum and maximum pulse interval is defined by the PRI Agility Deviation input value. The overall pattern repeats every PRI Agility Period μ s.

The PRI Agility Deviation input value is interpreted relative to the PRI 0 value to calculate the minimum and maximum pulse interval values as follows:

$$\text{Minimum Pulse Interval} = \text{PRI0} * (1 - (\text{PRI Agility Deviation} / 2))$$

$$\text{Maximum Pulse Interval} = \text{PRI0} * (1 + (\text{PRI Agility Deviation} / 2))$$

For example, a PRI Agility Deviation of 0.5 results in the pulse interval varying from 0.75 times PRI 0 to 1.25 times PRI 0.




Figure 7. Triangle PRI Agility Pattern



2.2.10 Sine

The Sine Agility type is based on the value of PRI 0. All other PRI values are ignored. The pulse intervals between pulses follow a sine pattern as shown in Figure 8. They increase from a minimum value to a maximum value in a sinusoidal pattern and then gradually decrease from the maximum value back down to the minimum value. The process then repeats. The value of PRI 0 is half way between the minimum and maximum pulse interval. The difference between the minimum and maximum pulse interval is defined by the PRI Agility Deviation input value. The overall pattern repeats every PRI Agility Period μ s.

The PRI Agility Deviation input value is interpreted relative to the PRI 0 value to calculate the minimum and maximum pulse interval values as follows:

$$\text{Minimum Pulse Interval} = \text{PRI0} * (1 - (\text{PRI Agility Deviation} / 2))$$

$$\text{Maximum Pulse Interval} = \text{PRI0} * (1 + (\text{PRI Agility Deviation} / 2))$$

For example, a PRI Agility Deviation of 0.5 results in the pulse interval varying from 0.75 times PRI 0 to 1.25 times PRI 0.




Figure 8. Sine PRI Agility Pattern

2.2.11 Pulses Per Step

The discussions of the PRI Staircase, Up Ramp, Down Ramp, Triangle, and Sine agility types assumed that the Pulses Per Step input value was one. If this is not the case, then the pulse patterns generated by these agility types are as previously described except that the pulse interval changes only after the number of pulses specified by the Pulses Per Step input value.



2.2.12 Jitter

The EAG object supports jitter in combination with any PRI Agility Type. Jitter is random adjustment of pulse intervals over a maximum range defined by the Jitter Range input value. The start of each pulse is first determined according to the methods discussed previously. A delta time is then added to the start time to determine the actual start time of the pulse. The delta time can be negative or positive and is randomly determined for each pulse. The absolute value of the delta time is less than or equal to half the Jitter Range input value.

The Jitter Range input value specifies the maximum time interval in μs over which any pulse may be jittered. A value of zero specifies no jitter. A value greater than zero results in jitter applied to every pulse. The EAG object checks the supplied Jitter Range to ensure that it is not possible for pulses to overlap, overtake, or undertake other pulses due to jitter. This is accomplished by limiting the value of Jitter Range as follows:

$$\text{Jitter Range} < \text{Minimum Pulse Interval} - (2 * \text{Pulse Width})$$

The Minimum Pulse Interval is the smallest pulse interval that is possible (disregarding jitter) under the current PRI Agility Type and PRI input values.

An example of the effect of jitter on a single pulse is shown in Figure 9. It assumes a Jitter Range of $256 \mu\text{s}$. The initial pulse on this diagram is shown at its nominal start time; that is, the start time calculated without considering jitter. The pulse repetition interval is assumed to be $2438 \mu\text{s}$. Pulse B represents the nominal start time of the next pulse which is $2438 \mu\text{s}$ after the nominal start time of the initial pulse. The actual next pulse is then randomly determined to occur anywhere from the possible pulses at A and C.




Figure 9. Jitter Range



Considering the same example over several pulses, Figure 10 shows one possible sequence of 6 pulses. Whereas the pulse repetition interval is 2438 μs , the actual inter pulse intervals vary randomly.




Figure 10. Jitter PRI Pattern



2.3 Scan Pattern Modeling

This section describes how the EAG object models scan patterns. The purpose of scan pattern modeling is to determine the amplitude of the pulses generated by the pulse pattern modeling. The amplitude of a pulse is proportional to the power of that pulse as it is perceived by the receiver. The power of the pulse is affected by the position of the receiver relative to the lobes of the emitter. Scan pattern modeling, therefore, must determine at any particular time, which, if any, of the lobes of the emitter are illuminating the receiver. Furthermore, once an illuminating lobe has been identified, the position of the receiver relative to the center of the lobe must be determined as power levels drop off away from the center.

The EAG object, for any particular time, determines where the center of the main lobe is pointing. The positions of the other lobes are calculated relative to the main lobe according to the EAG object inputs as specified in Table 2. The receiver position is compared to the lobe positions to determine the current power level. All these calculations take place in the Emitter Frame of Reference which is illustrated in Figure 11.




Figure 11. Emitter Frame of Reference

The Emitter Frame of Reference is the native coordinate system for the EAG object. The emitter is located at the origin of the Emitter Frame of Reference. The positive y-axis is then defined as the Emitter Beam Reference. The motion of the emitter main lobe (or beam) is modeled relative to the Emitter Beam Reference. The location of the receiver in the Emitter Frame of Reference is as specified by the Receiver azimuth (az) and Receiver elevation (el) input values which are relative to the Emitter Beam Reference. These input values are defined in Table 3. It is important to note that the Emitter Beam Reference does not necessarily coincide with the main beam of the emitter. Instead, the azimuth and elevation of the main beam at any time are defined as an azimuth and elevation relative to the



Emitter Beam Reference. The azimuth and elevation of the main beam at time t are represented in the figure and in the following discussions by theta (θ) and phi (ϕ). It is the responsibility of the client of the EAG object to correctly locate the receiver in the Emitter Frame of Reference.

Table 2. Lobe Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Main Lobe Power	dB	Main Power	0	60	Power level at center of main lobe specified in dB down from maximum power (i.e., 0 dB = maximum power).
Main Lobe Beam Width	deg	Main BW	0	30	The 3 dB beam width of the main lobe.
Back Lobe Power	dB	Back Power	0	60	Power level relative to (i.e., down from) main lobe power.
Back Lobe Beam Width	deg	Back BW	0	30	The 3 dB beam width of the back lobe.
Side Lobe Left 1 Offset	deg	Side Lobe Offset Left 1	0	180	Position of side lobe relative to main lobe specified as an angle counter clockwise from the main lobe direction.
Side Lobe Left 1 Power	dB	Side Lobe Power Left 1	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Left 2 Offset	deg	Side Lobe Offset Left 2	0	180	Position of side lobe relative to main lobe specified as an angle counter clockwise from the main lobe direction.
Side Lobe Left 2 Power	dB	Side Lobe Power Left 2	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Left 3 Offset	deg	Side Lobe Offset Left 3	0	180	Position of side lobe relative to main lobe specified as an angle counter clockwise from the main lobe direction.
Side Lobe Left 3 Power	dB	Side Lobe Power Left 3	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Left 4 Offset	deg	Side Lobe Offset Left 4	0	180	Position of side lobe relative to main lobe specified as an angle counter clockwise from the main lobe direction.
Side Lobe Left 4 Power	dB	Side Lobe Power Left 4	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Left 5 Offset	deg	Side Lobe Offset Left 5	0	180	Position of side lobe relative to main lobe specified as an angle counter clockwise from the main lobe direction.
Side Lobe Left 5 Power	dB	Side Lobe Power Left 5	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Left 6 Offset	deg	Side Lobe Offset Left 6	0	180	Position of side lobe relative to main lobe specified as an angle counter clockwise from the main lobe direction.
Side Lobe Left 6 Power	dB	Side Lobe Power Left 6	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Left 7 Offset	deg	Side Lobe Offset Left 7	0	180	Position of side lobe relative to main lobe specified as an angle counter clockwise from the main lobe direction.
Side Lobe Left 7 Power	dB	Side Lobe Power Left 7	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Right 1 Offset	deg	Side Lobe Offset Right 1	0	180	Position of side lobe relative to main lobe specified as an angle clockwise from the main lobe direction.
Side Lobe Right 1 Power	dB	Side Lobe Power Right 1	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Right 2 Offset	deg	Side Lobe Offset Right 2	0	180	Position of side lobe relative to main lobe specified as an angle clockwise from the main lobe direction.
Side Lobe Right 2 Power	dB	Side Lobe Power Right 2	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Right 3 Offset	deg	Side Lobe Offset Right 3	0	180	Position of side lobe relative to main lobe specified as an angle clockwise from the main lobe direction.
Side Lobe Right 3 Power	dB	Side Lobe Power Right 3	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Right 4 Offset	deg	Side Lobe Offset Right 4	0	180	Position of side lobe relative to main lobe specified as an angle clockwise from the main lobe direction.



Table 2. Lobe Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Side Lobe Right 4 Power	dB	Side Lobe Power Right 4	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Right 5 Offset	deg	Side Lobe Offset Right 5	0	180	Position of side lobe relative to main lobe specified as an angle clockwise from the main lobe direction.
Side Lobe Right 5 Power	dB	Side Lobe Power Right 5	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Right 6 Offset	deg	Side Lobe Offset Right 6	0	180	Position of side lobe relative to main lobe specified as an angle clockwise from the main lobe direction.
Side Lobe Right 6 Power	dB	Side Lobe Power Right 6	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Right 7 Offset	deg	Side Lobe Offset Right 7	0	180	Position of side lobe relative to main lobe specified as an angle clockwise from the main lobe direction.
Side Lobe Right 7 Power	dB	Side Lobe Power Right 7	0	60	Power level relative to (i.e., down from) main lobe power.
Side Lobe Beam Width	deg	Side BW	0	30	The 3 dB beam width of a side lobe. All side lobes share the same beam width.

Table 3. Receiver Position Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Receiver Azimuth	deg	Azimuth	0	360	Azimuth of the receiver relative to the Emitter Beam Reference.
Receiver Elevation	deg	Elevation	-90	+90	Elevation of the receiver relative to the Emitter Beam Reference.

The audio amplitude of a pulse is calculated once the scan pattern modeling has determined the power level of the pulse according to the current receiver position and lobe positions. The calculated power level of the pulse is a percentage of the power level that would result in maximum pulse amplitude in the audio signal: no absolute power levels are used. The main lobe power level (P), specified as a percentage, is adjusted by the loss in power due to the receiver being in a side or back lobe (L1 dB) and by the loss in power due to the receiver not being centered in the lobe (L2 dB) as follows:

$$\text{Calculated Power Level} = \text{INVERSE_LOG}((-L1 - L2) / 20) * P$$

This calculated power level is linearly proportional to the amplitude of the pulse in the audio signal.

The following subsections define how each type of scan is modeled. The input values particular to each scan type are identified and the equations for determining theta and phi are given. For simplicity, the equations are presented assuming that all input values are converted where required to radians and seconds.



2.3.1 Fixed/Steady

A *Fixed* or *Steady* scan describes an emitter whose main beam points in a fixed direction. No additional input values are required to model this scan type. The main beam is defined to coincide with the Emitter Beam Reference as follows:

$$\theta = 0$$

$$\phi = 0$$



2.3.2 Circular

The *Circular* scan describes an emitter whose antenna rotates in a full circle. The rotation occurs at an elevation angle above the x-y plane of the Emitter Frame of Reference. The Emitter Beam Reference (or positive y-axis) defines the starting position of the scan at time zero. Figure 12 depicts a conceptual view of a circular scan while Table 4 lists the additional input values that are required to model the scan.

Table 4. Circular Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Scan Period	ms	Scan Period 1	10	100,000	Period of one full rotation of the antenna.
Elevation	deg	Scan Elevation	-90	+90	Elevation of the scan.




Figure 12. Circular Scan

Given the Scan Period (τ_1), the Elevation (ϕ_0), the current time (t), and the initial time the model started emitting (t_0), the time within the cycle is determined by:

$$t_i = (t - t_0) \bmod \tau_1$$

Since the pattern width is a full circle:

$$\Delta = 2 \pi$$

The rate of rotation of the antenna is calculated as:

$$\omega_1 = \Delta / \tau_1$$

Therefore the position of the antenna at any given time is:

$$\theta = \omega_1 t_i$$

$$\phi = \phi_0$$



2.3.3 Unidirectional Sector

A *sector* scan is similar to a *circular* scan, but differs in that it only scans a portion of the sky, rather than rotating in a full circle. A *unidirectional sector* scan, only scans in one direction: in the Emitter Frame of Reference it starts at an azimuth of zero and scans to an azimuth equal to Sector Size. It then restarts scanning at an azimuth of zero. The rotation occurs at an elevation angle above the x-y plane of the Emitter Frame of Reference. Figure 13 depicts a conceptual view of a *sector* scan while Table 5 lists the additional input values that are required to model the scan.

Table 5. Unidirectional Sector Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Scan Period	ms	Scan Period 1	10	100,000	Period of the sector scan, including retrace time.
Sector Size	deg	Pattern Width 1	0	360	The width of the sector to be scanned.
Elevation	deg	Scan Elevation	-90	+90	Elevation of the scan
Retrace Time	ms	Retrace Time	0	1000	The time it takes for a new sweep to start after the previous sweep has completed.




Figure 13. Sector Scan



Given the Scan Period (τ_1), the Elevation (ϕ_0), the current time (t), and the initial time the model started emitting (t_0), the time within the cycle is determined by:

$$t_i = (t - t_0) \bmod \tau_1$$

The time to complete the scanning portion of the cycle (i.e., not including the retrace) is determined by:

$$t_{\text{retrace}} = \tau_1 - (\text{Retrace Time})$$

If the time within the cycle is within the retrace period, the emitter is not transmitting:

$$\text{if } (t_i > t_{\text{retrace}}) \text{ then} \\ (\text{Received Power}) = 0$$

Otherwise, the rate of rotation of the antenna, which scans Sector Size degrees between 0 and t_{retrace} seconds, is calculated as follows:

$$\Delta = \text{Sector Size} \\ \omega_1 = \Delta / t_{\text{retrace}}$$

Then the position of the antenna at any given time is:

$$\theta = \omega_1 t_i \\ \phi = \phi_0$$



2.3.4 Bidirectional Sector

A *bidirectional sector* scan is similar to a *unidirectional sector* scan except that it scans in both directions. In the Emitter Frame of Reference it starts at an azimuth of zero and scans to an azimuth equal to Sector Size. It then scans in the opposite direction from an azimuth equal to Sector Size back to an azimuth of zero. The rotation occurs at an elevation angle above the x-y plane of the Emitter Frame of Reference. Table 6 lists the additional input values that are required to model the scan.

Table 6. Bidirectional Sector Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Scan Period	ms	Scan Period 1	10	100,000	Period of the sector scan, including both directions
Sector Size	deg	Pattern Width 1	0	360	The width of the sector to be scanned.
Elevation	deg	Scan Elevation	-90	+90	Elevation of the scan.

Given the Scan Period (τ_1), the Elevation (ϕ_0), the current time (t), and the initial time the model started emitting (t_0), the time within the cycle is determined by:

$$t_i = (t - t_0) \text{ mod } \tau_1$$

If the time within the cycle is greater than half the scan period, then the antenna has reversed direction and the time within the cycle is adjusted as follows:

$$\text{if } (t_i > (\tau_1/2)) \text{ then}$$

$$t_i = \tau_1 - t_i$$

The rate of rotation of the antenna, which scans Sector Size degrees between 0 and ($\tau_1/2$) seconds, is calculated as follows:

$$\Delta = \text{Sector Size}$$

$$\omega_1 = 2 \Delta / \tau_1$$

Then the position of the antenna at any given time is

$$\theta = \omega_1 t_i$$

$$\phi = \phi_0$$



2.3.5 Conical

A *conical* scan describes an emitter which scans towards a fixed direction in space. Rather than pointing directly at the required direction, a conical scan rotates around that vector, keeping the area of interest at the center of the scan. The angle between the axis of rotation and the cone is called the squint angle. Figure 14 illustrates a conical scan while Table 7 lists the additional input values that are required to model the scan. The axis of rotation of the conical scan is defined to coincide with the Emitter Beam Reference.

Table 7. Conical Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Scan Period	ms	Scan Period 1	10	100,000	Period of one revolution around the axis of rotation.
Squint Angle	deg	Pattern Width 1	0	45	Angle between the axis of rotation and the emitter beam.




Figure 14. Conical Scan

Given the Scan Period (τ_1), the Squint Angle (δ), the current time (t), and the initial time the model started emitting (t_0), the time within the cycle is determined by:

$$t_i = (t - t_0) \bmod \tau_1$$

The rate of rotation (ω_1) of the conical movement around the axis of rotation is:

$$\Delta = 2\pi$$
$$\omega_1 = \Delta/\tau_1$$

Then the position of the antenna at any given time is:

$$\theta = \delta \cos(\omega_1 t_i)$$
$$\phi = \delta \sin(\omega_1 t_i)$$



2.3.6 Spiral

A *spiral* scan is similar to a *conical* scan, except that the squint angle varies between a minimum of zero degrees and a maximum of Max Squint Angle degrees. Figure 15 illustrates a *spiral* scan while Table 8 lists the additional input values that are required to model the scan. As with the *conical* scan, the axis of rotation of the spiral scan is defined to coincide with the Emitter Beam Reference. Two scan periods are required to define the spiral scan. The Spiral Scan Period is the time for the whole scan pattern while the Conical Scan Period is the time for a single revolution about the axis of rotation. The Conical Scan Period must be less than the Spiral Scan Period.

Table 8. Spiral Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Spiral Scan Period	ms	Scan Period 1	10	100,000	Time for a complete spiral scan pattern including the squint angle ranging from its maximum and decreasing to zero, and including the retrace time.
Conical Scan Period	ms	Scan Period 2	10	100,000	Time for one revolution around the axis of rotation.
Max Squint Angle	deg	Pattern Width 1	0	45	Maximum angle between the axis of rotation and the emitter beam.
Retrace Time	ms	Retrace Time	0	1000	The time it takes for a new sweep to start after the previous sweep has completed.




Figure 15. Spiral Scan



Given the Conical Scan Period (τ_1), the Spiral Scan Period (τ_2), the current time (t), and the initial time the model started emitting (t_0), the time within the cycle is determined by:

$$t_{i,1} = (t - t_0) \bmod \tau_1$$
$$t_{i,2} = (t - t_0) \bmod \tau_2$$

The time to complete the scanning portion of the cycle (i.e., not including the retrace) is determined by:

$$t_{\text{retrace}} = \tau_2 - (\text{Retrace Time})$$

If the time within the cycle is within the retrace period, the emitter is not transmitting:

$$\text{if } (t_{i,2} > t_{\text{retrace}}) \text{ then}$$
$$(\text{Received Power}) = 0$$

Otherwise the rate of rotation of the antenna around the axis of rotation is:

$$\Delta = 2 \pi$$
$$\omega_1 = \Delta / \tau_1$$

The squint angle varies between the maximum (Δ_2) and zero within the time of the scanning portion of the cycle (t_{retrace}). The rate the squint angle changes (ω_2) is calculated as follows:

$$\Delta_2 = \text{Max Squint Angle}$$
$$\omega_2 = \Delta_2 / t_{\text{retrace}}$$

Then the position of the antenna at any given time is:

$$\delta = \Delta_2 - \omega_2 t_{i,2}$$
$$\theta = \delta \cos(\omega_1 t_{i,1})$$
$$\phi = \delta \sin(\omega_1 t_{i,1})$$



2.3.7 Raster

A *raster* scan covers a segment of the sky in azimuth, like a *sector* scan, but its elevation changes from sweep to sweep. At each sweep, the elevation of the beam is increased. The sweeps of the scan are known as bars. After the scan completes its designated number of bars, it starts all over again at the first bar. Figure 16 illustrates a *raster* scan while Table 9 lists the additional input values that are required to model the scan. The lower left hand corner of the raster scan pattern is defined to coincide with the Emitter Beam Reference.

Table 9. Raster Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Sweep Period	ms	Scan Period 1	10	100,000	Period of one bar of the raster including retrace time.
Sector Size	deg	Pattern Width 1	0	360	The width of the sector to be scanned.
Number of Bars	----	No. of Bars	2	12	Total number of bars in scan.
Elevation Increment	deg	Scan Elevation	0	45	Elevation delta between bars.
Retrace Time	ms	Retrace Time	0	1000	Time after completing a bar that the scan requires to start the next bar.




Figure 16. Raster Scan



Given the Sweep Period (τ_1), the Elevation Increment (ϕ_0), the current time (t), and the initial time the model started emitting (t_0), the time within one sweep (i.e., bar) of the raster is determined by:

$$t_i = (t - t_0) \bmod \tau_1$$

The time to complete a single sweep (i.e., not including the retrace) is determined by:

$$t_{\text{retrace}} = \tau_1 - (\text{Retrace Time})$$

If the time within the sweep is within the retrace period, the emitter is not transmitting:

$$\text{if } (t_i > t_{\text{retrace}}) \text{ then} \\ (\text{Received Power}) = 0$$

Otherwise, the rate of rotation of the antenna is calculated as follows:

$$\Delta_1 = \text{Sector Size} \\ \omega_1 = \Delta_1 / t_{\text{retrace}}$$

and the current bar (n) within the raster pattern is determined by:

$$n_b = \text{Number of Bars} \\ t_{\text{scan}} = (t - t_0) \bmod (\tau_1 n_b) \\ n = \lfloor t_{\text{scan}} / \tau_1 \rfloor$$

Note the $\lfloor \dots \rfloor$ symbols denote an integer truncation of a real number. Then the position of the antenna at any given time is:

$$\theta = \omega_1 t_i \\ \phi = \phi_0 n$$



2.3.8 Helical

A *helical* scan describes an emitter beam that rotates in a full circle in azimuth while its elevation increases continuously. When the scan reaches its maximum elevation, it returns to its starting elevation angle. Figure 17 illustrates a *helical* scan while Table 10 lists the additional input values that are required to model the scan. A *helical* scan requires two scan periods to be specified. The Helical Scan Period defines the time for the entire scan while the Circular Scan Period defines the time for a single rotation (i.e., in azimuth).

Table 10. Helical Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Helical Scan Period	ms	Scan Period 1	10	100,000	Period of complete helical pattern including retrace.
Vertical Extent	deg	Pattern Width 1	0	180	Maximum elevation angle relative to the starting elevation.
Circular Scan Period	ms	Scan Period 2	10	100,000	Period of single rotation.
Retrace Time	ms	Retrace Time	0	1000	Time after reaching the maximum elevation that the scan requires before starting to scan again at the starting elevation.
Starting Elevation	deg	Scan Elevation	-90	+90	The starting elevation of the scan pattern.




Figure 17. Helical Scan



Given the Circular Scan Period (τ_1), the Helical Scan Period (τ_2), the Starting Elevation (ϕ_0), the current time (t), and the initial time the model started emitting (t_0), the time within the cycle is determined by:

$$\begin{aligned}t_{i,1} &= (t - t_0) \bmod \tau_1 \\t_{i,2} &= (t - t_0) \bmod \tau_2\end{aligned}$$

The time to complete the scanning portion of the cycle (i.e., not including the retrace) is determined by:

$$t_{\text{retrace}} = \tau_2 - (\text{Retrace Time})$$

If the time within the cycle is within the retrace period, the emitter is not transmitting:

$$\begin{aligned}\text{if } (t_{i,2} > t_{\text{retrace}}) \text{ then} \\(\text{Received Power}) &= 0\end{aligned}$$

Otherwise, the circular rate of rotation is calculated as follows:

$$\begin{aligned}\Delta_1 &= 2\pi \\ \omega_1 &= \Delta_1 / \tau_1\end{aligned}$$

And the elevation rate is determined as follows:

$$\begin{aligned}\Delta_2 &= \text{Vertical Extent} \\ \omega_2 &= \Delta_2 / t_{\text{retrace}}\end{aligned}$$

Then the position of the antenna at any given time is:

$$\begin{aligned}\theta &= \omega_1 t_{i,1} \\ \phi &= \phi_0 + \omega_2 t_{i,2}\end{aligned}$$



2.3.9 Palmer – Unisector

A Palmer scan consists of an emitter beam that follows a conical scan superimposed on a circular scan pattern. The major motion of the scan is the circular component. The emitter beam rotates continuously in azimuth while the conical motion is superimposed. In effect, the circular component of the scan defines the motion of the axis of rotation of the conical component. Figure 18 illustrates the typical pattern that results from a Palmer scan.

A *Palmer-Unisector* scan is a Palmer scan as described above except that only a certain sector in azimuth is scanned during each sweep. This corresponds to a conical scan superimposed on a unidirectional sector scan. Table 11 lists the additional input values that are required to model the *palmer-unisector* scan. This scan requires two scan periods to be specified. The Sector Scan Period defines the time for the entire scan (i.e., the time to sweep through the sector plus the retrace time) while the Conical Scan Period defines the time for a single revolution around the axis of rotation.

Table 11. Palmer Unisector Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Sector Scan Period	ms	Scan Period 1	10	100,000	Period to complete one sweep of the sector including retrace.
Sector Size	deg	Pattern Width 1	0	360	The width of the sector to be scanned.
Retrace Time	ms	Retrace Time	0	1000	The time it takes for a new sweep to start after the previous sweep has completed.
Conical Scan Period	ms	Scan Period 2	10	100,000	Period of one revolution around the axis of rotation.
Squint Angle	deg	Pattern Width 2	0	45	Angle between the axis of rotation and the emitter beam.
Elevation	deg	Scan Elevation	-90	+90	Elevation of the scan.




Figure 18. Palmer Scan



Given the Sector Scan Period (τ_1), the Conical Scan Period (τ_2), the Elevation (ϕ_0), the current time (t), and the initial time the model started emitting (t_0), the time within the sweep is determined by:

$$t_{i,1} = (t - t_0) \bmod \tau_1$$
$$t_{i,2} = (t - t_0) \bmod \tau_2$$

The time to complete a single sweep (i.e., not including the retrace) is determined by:

$$t_{\text{retrace}} = \tau_1 - (\text{Retrace Time})$$

If the time within the sweep is within the retrace period, the emitter is not transmitting:

$$\text{if } (t_{i,1} > t_{\text{retrace}}) \text{ then}$$
$$(\text{Received Power}) = 0$$

Otherwise, the current axis of rotation is defined by:

$$\Delta_1 = \text{Sector Size}$$

$$\omega_1 = \Delta_1 / t_{\text{retrace}}$$

$$\theta_{\text{axis}} = \omega_1 t_{i,1}$$

$$\phi_{\text{axis}} = \phi_0$$

The conical movement of the antenna is defined by:

$$\Delta_2 = 2 \pi$$

$$\omega_2 = \Delta_2 / \tau_2$$

$$\delta = \text{Squint Angle}$$

Then the position of the antenna at any given time is:

$$\theta = \theta_{\text{axis}} + \delta \cos(\omega_2 t_{i,2})$$

$$\phi = \phi_{\text{axis}} + \delta \sin(\omega_2 t_{i,2})$$



2.3.10 Palmer – Bisector

A *Palmer-Bisector* scan is similar to a *Palmer-Unisector* except that it scans in both directions. This corresponds to a conical scan superimposed on a bidirectional sector scan. Table 12 lists the additional input values that are required to model the *palmer-bisector* scan. This scan requires two scan periods to be specified. The Sector Scan Period defines the time for the entire scan (i.e., the time to sweep through the sector in both directions) while the Conical Scan Period defines the time for a single revolution around the axis of rotation.

Table 12. Palmer Bisector Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Sector Scan Period	ms	Scan Period 1	10	100,000	Period to complete one sweep of the sector in both directions.
Sector Size	deg	Pattern Width 1	0	360	The width of the sector to be scanned.
Conical Scan Period	ms	Scan Period 2	10	100,000	Period of one revolution around the axis of rotation.
Squint Angle	deg	Pattern Width 2	0	45	Angle between the axis of rotation and the emitter beam.
Elevation	deg	Scan Elevation	-90	+90	Elevation of the scan.

Given the Sector Scan Period (τ_1), the Conical Scan Period (τ_2), the Elevation (ϕ_0), the current time (t), and the initial time the model started emitting (t_0), the time within the sweep is determined by:

$$t_{i,1} = (t - t_0) \bmod \tau_1$$

$$t_{i,2} = (t - t_0) \bmod \tau_2$$

If the time within the sector sweep is greater than half the Sector Scan period, then the antenna has reversed direction and the time within the sector sweep is adjusted as follows:

$$\text{if } (t_{i,1} > (\tau_1/2)) \text{ then}$$

$$t_{i,1} = \tau_1 - t_{i,1}$$

The current axis of rotation is defined by:

$$\Delta_1 = \text{Sector Size}$$

$$\omega_1 = 2\Delta_1/\tau_1$$

$$\theta_{\text{axis}} = \omega_1 t_{i,1}$$

$$\phi_{\text{axis}} = \phi_0$$

The conical movement of the antenna is defined by:

$$\Delta_2 = 2\pi$$

$$\omega_2 = \Delta_2/\tau_2$$

$$\delta = \text{Squint Angle}$$

Then the position of the antenna at any given time is:

$$\theta = \theta_{\text{axis}} + \delta \cos(\omega_2 t_{i,2})$$

$$\phi = \phi_{\text{axis}} + \delta \sin(\omega_2 t_{i,2})$$



2.3.11 Palmer-Raster

A *Palmer-Raster* scan consists of an emitter beam that follows a conical scan superimposed on a *Raster* scan pattern. The major motion of the scan is the Raster component of the scan, which defines the motion of the axis of rotation of the conical component. Figure 19 illustrates the typical pattern that results from a *Palmer-Raster* scan. Table 13 lists the additional input values that are required to model the *Palmer-Raster* scan. This scan requires two scan periods to be specified. The Sweep Period defines the time for a single sweep (i.e., the time to sweep through one bar of the raster pattern plus the retrace time) while the Conical Scan Period defines the time for a single revolution around the axis of rotation.

Table 13. Palmer Raster Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Sweep Period	ms	Scan Period 1	10	100,000	Period of one bar of the raster including retrace time.
Sector Size	deg	Pattern Width 1	0	360	The width of the sector to be scanned.
Number of Bars		No. Of Bars	2	12	Total number of bars in scan.
Elevation Increment	deg	Scan Elevation	0	45	Elevation delta between bars.
Retrace Time	ms	Retrace Time	0	1000	Time after completing a bar that the scan requires to start the next bar.
Conical Scan Period	ms	Scan Period 2	10	100,000	Period of one revolution around the axis of rotation.
Squint Angle	deg	Pattern Width 2	0	45	Angle between the axis of rotation and the emitter beam.




Figure 19. Palmer Raster Scan



Given the Sweep Period (τ_1), the Conical Scan Period (τ_2), the Elevation Increment (ϕ_0), the current time (t), and the initial time the model started emitting (t_0), the time within one sweep (i.e., bar) of the raster is determined by:

$$t_{i,1} = (t - t_0) \bmod \tau_1$$

The time to complete a single sweep (i.e., not including the retrace) is determined by:

$$t_{\text{retrace}} = \tau_1 - (\text{Retrace Time})$$

If the time within the sweep is within the retrace period, the emitter is not transmitting:

$$\text{if } (t_{i,1} > t_{\text{retrace}}) \text{ then} \\ (\text{Received Power}) = 0$$

Otherwise, the rate of rotation of the raster component is defined by:

$$\Delta_1 = \text{Sector Size} \\ \omega_1 = \Delta_1 / t_{\text{retrace}}$$

and the current bar (n) within the raster pattern is determined by:

$$n_b = \text{Number of Bars} \\ t_{\text{scan}} = (t - t_0) \bmod (\tau_1 n_b) \\ n = \lfloor t_{\text{scan}} / \tau_1 \rfloor$$

Note the $\lfloor \dots \rfloor$ symbols denote an integer truncation of a real number. Then the axis of rotation is given by:

$$\theta_{\text{axis}} = \omega_1 t_{i,1} \\ \phi_{\text{axis}} = \phi_0 n$$

The conical movement of the antenna is calculated as follows:

$$\Delta_2 = 2 \pi \\ \omega_2 = \Delta_2 / \tau_2 \\ \delta = \text{Squint Angle} \\ t_{i,2} = (t - t_0) \bmod \tau_2$$

Then the position of the antenna at any given time is:

$$\theta = \theta_{\text{axis}} + \delta \cos(\omega_2 t_{i,2}) \\ \phi = \phi_{\text{axis}} + \delta \sin(\omega_2 t_{i,2})$$



2.3.12 Palmer-Helical

A *Palmer-Helical* scan consists of an emitter beam that follows a conical scan superimposed on a *Helical* scan pattern. The major motion of the scan is the Helical component of the scan which defines the motion of the axis of rotation of the conical component. Figure 20 illustrates the typical pattern that results from a *Palmer-Helical* scan. Table 14 lists the additional input values that are required to model the *Palmer-Helical* scan. This scan requires three scan periods to be specified. The Helical Scan Period defines the time for the entire helical pattern including the retrace time while the Circular Scan Period defines the time for a single rotation (i.e., in azimuth) within the helical pattern. The Conical Scan Period defines the time for a single revolution around the axis of rotation.

Table 14. Palmer Helical Scan Parameters					
Name	Units	EAG Object Pin Name	Range Min.	Range Max.	Description
Helical Scan Period	ms	Scan Period 1	10	100,000	Period of complete helical pattern including retrace.
Vertical Extent	deg	Pattern Width 1	0	180	Maximum elevation angle relative to the starting elevation.
Circular Scan Period	ms	Scan Period 2	10	100,000	Period of single rotation in azimuth.
Retrace Time	ms	Retrace Time	0	1000	Time after reaching the maximum elevation that the scan requires before starting to scan again at the starting elevation.
Starting Elevation	deg	Scan Elevation	-90	+90	The starting elevation of the scan pattern.
Conical Scan Period	ms	Scan Period 3	10	100,000	Period of one revolution around the axis of rotation.
Squint Angle	deg	Pattern Width 2	0	45	Angle between the axis of rotation and the emitter beam.




Figure 20. Palmer Helical Scan



Given the Circular Scan Period (τ_1), the Helical Scan Period (τ_2), the Conical Scan Period (τ_3), the Starting Elevation (ϕ_0), the current time (t), and the initial time the model started emitting (t_0), the time within each cycle is determined by:

$$\begin{aligned}t_{i,1} &= (t - t_0) \bmod \tau_1 \\t_{i,2} &= (t - t_0) \bmod \tau_2 \\t_{i,3} &= (t - t_0) \bmod \tau_3\end{aligned}$$

The time to complete the scanning portion of the helical pattern (i.e., not including the retrace) is determined by:

$$t_{\text{retrace}} = \tau_2 - (\text{Retrace Time})$$

If the time within the cycle is within the retrace period, the emitter is not transmitting:

$$\begin{aligned}\text{if } (t_{i,2} > t_{\text{retrace}}) \text{ then} \\(\text{Received Power}) &= 0\end{aligned}$$

Otherwise, the helical circular rate of rotation is calculated as follows:

$$\begin{aligned}\Delta_1 &= 2 \pi \\ \omega_1 &= \Delta_1 / \tau_1\end{aligned}$$

And the helical elevation rate is determined as follows:

$$\begin{aligned}\Delta_2 &= \text{Vertical Extent} \\ \omega_2 &= \Delta_2 / t_{\text{retrace}}\end{aligned}$$

Then the axis of rotation is given by:

$$\begin{aligned}\theta_{\text{axis}} &= \omega_1 t_{i,1} \\ \phi_{\text{axis}} &= \phi_0 + \omega_2 t_{i,2}\end{aligned}$$

The conical movement of the antenna is calculated as follows:

$$\begin{aligned}\Delta_3 &= 2 \pi \\ \omega_3 &= \Delta_3 / \tau_3 \\ \delta &= \text{Squint Angle}\end{aligned}$$

Then the position of the antenna at any given time is:

$$\begin{aligned}\theta &= \theta_{\text{axis}} + \delta \cos(\omega_3 t_{i,3}) \\ \phi &= \phi_{\text{axis}} + \delta \sin(\omega_3 t_{i,3})\end{aligned}$$



2.3.13 Vertical Unidirectional Sector

A vertical unidirectional sector scan is similar to a unidirectional sector scan, but differs in that it scans vertically instead of horizontally. Table 15 lists the additional input values that are required to model the scan. Figure 21 depicts a conceptual view of a vertical unidirectional scan.

Table 15. Vertical Unidirectional Sector Scan Parameters					
Name	Type	EAG Object Name	Range minimum	Range maximum	Description
Scan Period	ms	Scan Period 1	10	100,000	Period of the sector scan, including retrace time.
Sector Size	deg	Pattern Width 1	0	180	The height of the sector to be scanned.
Starting Elevation	deg	Scan Elevation	-90	+90	The starting elevation of the scan
Retrace Time	ms	Retrace Time	0	1000	The time it takes for a new sweep to start after the previous sweep has completed.




Figure 21. Vertical Unidirectional Sector Scan



3 Emitter Audio Generator Object Interface

The Emitter Audio Generator Object, shown in Figure 22, uses input pins, output pins, and static data to control and configure its operation. The sections that follow identify and describe these data in terms of units, range, and functionality.




Figure 22. Emitter Audio Generator Object



3.1 EAG Object Input Pins

Across the top of the object are pins labeled with numbers from 0 to 40. These pins are used to set the Pulse Repetition Intervals (PRI). Units for these pins are provided in microseconds (μ s). See section 2.2 for more details.

The pins along the left side of the object are identified and described in Table 16.

Table 16. EAG Object Left-Side Pins				
EAG Object Pin Name	Units	Range Min.	Range Max.	Description
On/Off	----	0	1	Enables and disables audio generation.
Lock	----	0	1	Acts as a latch. If the value is 1 (locked), changes on the input pins are ignored. This allows many changes to be made while the pin is locked, and then introduced at one time by changing the pin back to 0 (unlocked).
Volume	----	0	1	Sets the audio output level for this object. A value of 0.0 indicates no volume; a value of 1.0 represents maximum volume.
Pause	----	0	1	A value of 1 suspends modeling of the emitter scan and pulse train.
Mute	----	0	1	A value of 1 mutes the audio output while continuing to model the emitter.
Pulse Width	μ s	50	5000	Duration of each pulse.
PRI Agility Type	----	0	9	See Table 1.
PRI Agility Deviation	μ s	0	0.5	Fractional deviation from base PRI.
PRI Agility Period	ms	0	60,000	Period over which agility pattern repeats.
Pulses Per Step	----	0	128	Number of pulses per agility step.
Jitter Range	μ s	0	40,000	Maximum jitter applied to each pulse.
Scan Type	----	0	12	See Table 17
Scan Period 1	ms	10	100,000	Period of complete helical pattern including retrace.
Scan Period 2	ms	10	100,000	Period of single rotation in azimuth.
Scan Period 3	ms	10	100,000	Period of one revolution around the axis of rotation.
Pattern Width 1	deg	0	360	Width of primary scan motion.
Pattern Width 2	deg	0	360	Width of secondary scan motion.
Scan Elevation	deg	-90	+90	The starting elevation of the scan pattern.
No. of Bars	----	2	12	Total number of bars in scan.
Retrace Time	ms	0	1000	Time after reaching the maximum elevation that the scan requires before starting to scan again at the starting elevation.
Azimuth	deg	0	360	Azimuth of the receiver relative to the Emitter Beam Reference.
Elevation	deg	-90	+90	Elevation angle of the receiver relative to the Emitter Beam Reference.
Main Power	dB	0	60	Power level at center of main lobe specified in dB down from maximum power (i.e., 0 dB = maximum power).
Main BW	deg	0	30	The 3 dB beam width of the main lobe.
Back Power	dB	0	60	Power level relative to (i.e., down from) main lobe power.
Back BW	deg	0	30	The 3 dB beam width of the back lobe.



Table 17 provides a list of acceptable values for the **Scan Type** pin. Any other values are ignored and treated as 0.

Table 17. Scan Types	
Input	Scan Type
0	Steady
1	Circular
2	Conical
3	Unisector
4	Bisector
5	Raster
6	Helical
7	Palmer-Helical
8	Palmer-Unisector
9	Palmer-Bisector
10	Palmer-Raster
11	Spiral
12	Vertical-Unisector

The pins along the bottom of the object are identified and described in Table 18.

Table 18. EAG Object Bottom Pins				
EAG Object Pin Name	Units	Range Min.	Range Max.	Description
Side Lobe Power Left 1 - 7	dB	0	60	Power level of left side lobes relative to (i.e., down from) main lobe power.
Side Lobe Power Right 1 - 7	dB	0	60	Power level of right side lobes relative to (i.e., down from) main lobe power.
Side Lobe Offset Left 1 - 7	deg	0	180	Position of right side lobes relative to main lobe specified as an angle counter clockwise from the main lobe direction.
Side Lobe Offset Right 1 - 7	deg	0	180	Position of left side lobes relative to main lobe specified as an angle clockwise from the main lobe direction.



3.2 EAG Object Output Pin

The EAG object detects and reports invalid input values using the **Error** output pin. If nonzero, the Error output indicates which input value is invalid as specified in Table 19. Only the first detected error is reported. When an error exists, no audio is produced.

Table 19. EAG Object Error Codes

Error Code	Invalid Input Value	Error Code	Invalid Input Value	Error Code	Invalid Input Value	Error Code	Invalid Input Value
1	On/Off	26	PRI 19	51	Pulses Per Step	76	SL Power Right 1
2	Lock	27	PRI 20	52	Jitter Range	77	SL Power Right 2
3	Volume	28	PRI 21	53	Main Power	78	SL Power Right 3
4	Pause	29	PRI 22	54	Main BW	79	SL Power Right 4
5	Mute	30	PRI 23	55	SL Offset Left 1	80	SL Power Right 5
6	Pulse Width	31	PRI 24	56	SL Offset Left 2	81	SL Power Right 6
7	PRI 0	32	PRI 25	57	SL Offset Left 3	82	SL Power Right 7
8	PRI 1	33	PRI 26	58	SL Offset Left 4	83	Back Power
9	PRI 2	34	PRI 27	59	SL Offset Left 5	84	Back BW
10	PRI 3	35	PRI 28	60	SL Offset Left 6	85	Scan Type
11	PRI 4	36	PRI 29	61	SL Offset Left 7	86	Scan Period 1
12	PRI 5	37	PRI 30	62	SL Power Left 1	87	Scan Period 2
13	PRI 6	38	PRI 31	63	SL Power Left 2	88	Scan Period 3
14	PRI 7	39	PRI 32	64	SL Power Left 3	89	Pattern Width 1
15	PRI 8	40	PRI 33	65	SL Power Left 4	90	Pattern Width 2
16	PRI 9	41	PRI 34	66	SL Power Left 5	91	Scan Elevation
17	PRI 10	42	PRI 35	67	SL Power Left 6	92	No. Of Bars
18	PRI 11	43	PRI 36	68	SL Power Left 7	93	Retrace Time
19	PRI 12	44	PRI 37	69	SL Offset Right 1	94	Azimuth
20	PRI 13	45	PRI 38	70	SL Offset Right 2	95	Elevation
21	PRI 14	46	PRI 39	71	SL Offset Right 3		
22	PRI 15	47	PRI 40	72	SL Offset Right 4		
23	PRI 16	48	PRI Agility Type	73	SL Offset Right 5		
24	PRI 17	49	PRI Agility	74	SL Offset Right 6		
25	PRI 18	50	PRI Agility Period	75	SL Offset Right 7		

3.3 EAG Object Static Data

There are two static data elements associated with the EAG object. The first is the Channel which specifies of the audio output device channel number. This number is assigned by the Platform Configure dialog box in the V+ Run Time System and indicates which audio output device is used for playing the audio stream.

The second static data element is called Algorithm and is used to specify which algorithm ID to use in processing. Only one such algorithm currently exists and its ID is 1.



4 Definition of Terms

Table 20 provides a list of terms used in this document and describes their meaning.

Table 20. Definition of Terms	
Term	Definition
AC	Alternating Current
CW	Continuous Wave
dB	Decibel
DC	Direct Current
deg	Degrees
EAG	Emitter Audio Generator
KHz	KiloHertz
ms	Milliseconds
PRI	Pulse Repetition Interval
μ s	Microseconds